

TABLE 8A. INHIBITION OF *P. AERUGINOSA* PAO1 AND *E. COLI* DH5 $\alpha$  BY CAP18 PEPTIDES<sup>1</sup>

Peptide	Sequence	Ionic Strength (mM)	<i>P. aeruginosa</i> PAO1		N	<i>E. coli</i> DH5 $\alpha$		N
			$\mu\text{g/ml} \pm \text{sem}$	$\text{EC}_{50}$ $\mu\text{M} \pm \text{sem}$		$\mu\text{g/ml} \pm \text{sem}$	$\text{EC}_{50}$ $\mu\text{M} \pm \text{sem}$	
CAP18	GLRRLRKFRNKIKEKLKKIG QKIQGLLPKLAPRTDY (SEQ ID NO:18)	25 175	0.98 $\pm$ 0.24 0.50 $\pm$ 0.10	0.22 $\pm$ 0.05 0.11 $\pm$ 0.02	(6) (4)	0.69 $\pm$ 0.08	0.15 $\pm$ 0.02	(4)
CAP18-21a	GLRRLRKFRNKIKEKLKKIG (SEQ ID NO:19)	25 175	0.58 $\pm$ 0.09 0.54 $\pm$ 0.10	0.22 $\pm$ 0.03 0.21 $\pm$ 0.04	(3) (3)	0.48 $\pm$ 0.03	0.19 $\pm$ 0.01	(3)
CAP18-18	KRLRKFRNKIKEKLKKIG (SEQ ID NO:20)	25 175	1.05 $\pm$ 0.37 1.59 $\pm$ 0.29	0.46 $\pm$ 0.16 0.69 $\pm$ 0.13	(3) (3)	0.47 $\pm$ 0.06	0.20 $\pm$ 0.03	(3)
CAP18-22	RKRLRKFRNKIKEKLKKIGQKI (SEQ ID NO:21)	25 175	1.38 $\pm$ 0.49 0.88 $\pm$ 0.12	0.49 $\pm$ 0.17 0.31 $\pm$ 0.04	(4) (4)	1.47 $\pm$ 0.44	0.52 $\pm$ 0.16	(3)
CAP18-19	LRKFRNKIKEKLKKIGQKI (SEQ ID NO:22)	25 175	1.65 $\pm$ 0.27 3.06 $\pm$ 0.36	0.70 $\pm$ 0.11 1.29 $\pm$ 0.15	(3) (3)	2.27 $\pm$ 0.30	0.96 $\pm$ 0.13	(4)
CAP18-21b	LRKFRNKIKEKLKKIGQKIQ (SEQ ID NO:23)	25 175	1.83 $\pm$ 0.51 3.45 $\pm$ 0.02	0.72 $\pm$ 0.20 1.35 $\pm$ 0.01	(4) (2)	2.99 $\pm$ 0.33	1.17 $\pm$ 0.13	(3)
CAP18-15a	RKFRNKIKEKLKKIG (SEQ ID NO:24)	25 175	1.54 $\pm$ 0.43 >20	0.81 $\pm$ 0.23 >10	(3) (3)	0.46 $\pm$ 0.12	0.24 $\pm$ 0.07	(3)
CAP18-15b	KIKEKLKKIGQKIQ (SEQ ID NO:25)	25 175	10.3 $\pm$ 0.3 >80	5.92 $\pm$ 0.20 >45	(3) (3)	7.23 $\pm$ 1.81	4.15 $\pm$ 1.04	(4)
CAP18-17	KIKEKLKKIGQKIQGLL (SEQ ID NO:26)	25 175	2.33 $\pm$ 0.35 >25	1.18 $\pm$ 0.18 >13	(4) (3)	2.51 $\pm$ 0.38	1.27 $\pm$ 0.20	(4)

<sup>1</sup> EC<sub>50</sub>s were measured in the luminescence assay, performed at 25 mM and 175 mM ionic strength with PAO1 and 25mM with DH5 $\alpha$ . Data are average  $\pm$  Sem.

**TABLE 8B. INHIBITION OF *P. AERUGINOSA* PAO1 BY SMAP29 PEPTIDES <sup>2</sup>**

Peptide	Sequence	Ionic Strength (mM)	EC <sub>50</sub> <i>P. aeruginosa</i> PAO1		
			μg/ml ± sem	μM ± sem	N
SMAP29	RGLRRLGRKIAHGVKKYGPT	25	0.17 ± 0.02	0.05 ± 0.01	(8)
	VLRIIRIAG (SEQ ID NO:2)	175	0.21 ± 0.03	0.06 ± 0.01	(7)
SMAP29-18	RGLRRLGRKIAHGVKKYG	25	0.43 ± 0.08	0.21 ± 0.04	(7)
	(SEQ ID NO:5)	175	0.76 ± 0.09	0.37 ± 0.05	(7)
SMAP29-21	KIAHGVKKYGPTVLRIIRIAG	25	1.09 ± 0.16	0.48 ± 0.07	(5)
	(SEQ ID NO:3)	175	16.6 ± 1.41	7.25 ± 0.62	(3)
SMAP29-20	LGRKIAHGVKKYGPTVLRH	25	0.83 ± 0.10	0.37 ± 0.05	(5)
	(SEQ ID NO:4)	175	27.3 ± 3.97	12.3 ± 1.79	(5)
SMAP29-18AA	RGLRALGRKIAHGVKAYG	25	0.62 ± 0.13	0.32 ± 0.07	(3)
	(SEQ ID NO:29)	175	7.85 ± 1.16	4.08 ± 0.87	(3)
SMAP29X	KNLRRIIRKIIHIKKYGPTILR	25	2.74 ± 0.65	0.78 ± 0.19	(4)
	IIRIIG-NH2 (SEQ ID NO:28)	175	4.51 ± 0.24	1.29 ± 0.07	(3)
SMAP29X-18A	KNLRRIIRKIIHIKKYG-NH2	25	0.22 ± 0.00	0.10 ± 0.00	(3)
	(SEQ ID NO:1)	175	0.49 ± 0.02	0.22 ± 0.01	(3)
SMAP29X-18B	KNIRRIIRKIIHIKKYG-NH2	25	0.16 ± 0.01	0.07 ± 0.00	(3)
	(SEQ ID NO:6)	175	0.54 ± 0.05	0.24 ± 0.02	(3)
SMAP29X-18C	KNIRRIIRKIIHIKKYG (SEQ ID NO:7)	25	0.24 ± 0.01	0.11 ± 0.00	(3)
		175	0.61 ± 0.12	0.27 ± 0.05	(3)
SMAP29X-18D	KNLRRIIRKIIHIKKYG (SEQ ID NO:8)	25	0.29 ± 0.01	0.13 ± 0.01	(3)
		175	0.58 ± 0.05	0.26 ± 0.02	(3)
SMAP29X-16A	NLRRIIRKIIHIKKY (SEQ ID NO:9)	25	0.90 ± 0.54	0.43 ± 0.26	(3)
		175	1.78 ± 0.26	0.86 ± 0.12	(3)
SMAP29X-16B	NLRRIIRKIIHIKKY-NH2	25	0.75	0.36	(1)
	(SEQ ID NO:30)	175	3.78	1.82	(1)
SMAP29X-16C	NIRRIIRKIIHIKKY-NH2	25	0.65	0.31	(1)
	(SEQ ID NO:31)	175	2.21	1.07	(1)
SMAP29X-16D	NIRRIIRKIIHIKKY (SEQ ID NO:10)	25	0.70 ± 0.36	0.34 ± 0.17	(3)
		175	3.64 ± 1.75	1.75 ± 0.84	(3)
SMAP29X-14A	LRRIIRKIIHIKK-NH2 (SEQ ID NO:11)	25	0.23 ± 0.03	0.13 ± 0.02	(3)
		175	1.59 ± 0.22	0.88 ± 0.12	(3)
SMAP29X-14B	LRRIIRKIIHIKK (SEQ ID NO:12)	25	0.55 ± 0.03	0.30 ± 0.02	(3)
		175	5.55 ± 0.42	3.08 ± 0.23	(3)
SMAP29X-14C	IRRIIRKIIHIKK-NH2 (SEQ ID NO:13)	25	0.29 ± 0.04	0.16 ± 0.02	(3)
		175	1.21 ± 0.05	0.67 ± 0.03	(3)
SMAP29X-14D	IRRIIRKIIHIKK (SEQ ID NO:14)	25	0.65 ± 0.06	0.36 ± 0.03	(3)
		175	7.11 ± 2.40	3.95 ± 1.34	(3)

<sup>2</sup> EC<sub>50</sub>S were measured in the luminescence assay, performed at 25 mM and 175 mM ionic strength. Data are average ± sem.

Peptide	Sequence	Ionic Strength (mM)	EC <sub>50</sub> <i>P. aeruginosa</i> PAO1		
			μg/ml ± sem	μM ± sem	N
SMAP29X-13A	LRRIIRKIIHIIK-NH2 ( <a href="#">SEQ ID NO:15</a> )	25	0.27 ± 0.03	0.16 ± 0.02	(3)
SMAP29X-13B	RRIIRKIIHIIKK-NH2 ( <a href="#">SEQ ID NO:16</a> )	25	0.22 ± 0.02	0.13 ± 0.01	(3)
SMAP29X-12	RRIIRKIIHIIK-NH2 ( <a href="#">SEQ ID NO:17</a> )	175	1.51 ± 0.09	0.90 ± 0.06	(3)
SMAP29X-11A	RRIIRKIIHII-NH2 ( <a href="#">SEQ ID NO:32</a> )	25	0.31 ± 0.01	0.20 ± 0.01	(3)
SMAP29X-11B	RRIIRKIIHII-NH2 ( <a href="#">SEQ ID NO:33</a> )	175	3.83 ± 0.22	2.46 ± 0.14	(3)
SMAP29X-10	RIIRKIIHIIK-NH2 ( <a href="#">SEQ ID NO:34</a> )	25	0.38 ± 0.04	0.27 ± 0.03	(3)
		175	4.92 ± 0.43	3.44 ± 0.30	(3)
		25	0.46 ± 0.02	0.33 ± 0.01	(3)
		175	10.42 ± 0.26	7.43 ± 0.19	(3)
		25	0.51 ± 0.00	0.40 ± 0.00	(3)
		175	18.67 ± 0.97	14.66 ± 0.77	(3)